

Next Century Health

3441 N Jones
Las Vegas, NV 89108
nena2themoon@yahoo.com
(702) 409-5088
Lic. #

Sample: 2003CNS0257.1338

Strain: CBD

Sample Received: 03/09/2020; Report Created: 03/12/2020

25 mg CBD Tablet

Ingestible, Capsule
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Safety

| | | |
|--------------------------|--------------------------|------------------------------|
| Not Tested Pesticides | Not Tested Microbials | Not Tested Mycotoxins |
| Not Tested Solvents | Not Tested Metals | Not Tested Foreign Matter |

Cannabinoids

| | | | |
|-----------------|---------------------------------|------------------------------------|----|
| ND Total THC | 25.0639 mg/unit Total CBD | Not Tested NT Water Activity | PH |
|-----------------|---------------------------------|------------------------------------|----|

| Analyte | LOQ mg/unit | Mass mg/unit | Mass mg/g |
|--------------|----------------|-----------------|-----------------|
| CBDV | 0.1485 | <LOQ | <LOQ |
| THCV | 0.1485 | <LOQ | <LOQ |
| CBD | 0.4242 | 25.0639 | 118.1700 |
| CBG | 0.1485 | <LOQ | <LOQ |
| CBDa | 0.4242 | <LOQ | <LOQ |
| CBGa | 0.1485 | <LOQ | <LOQ |
| CBN | 0.1485 | <LOQ | <LOQ |
| Δ9-THC | 0.4242 | <LOQ | <LOQ |
| Δ8-THC | 0.1485 | <LOQ | <LOQ |
| CBC | 0.1485 | <LOQ | <LOQ |
| THCa | 0.4242 | <LOQ | <LOQ |
| CBCa | 0.1485 | <LOQ | <LOQ |
| Total | | 25.0639 | 118.1700 |

1 Unit = , 0.2121g
Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC. Total CBD = CBDa * 0.877 + CBD. LOQ = Limit of Quantitation; ND = Not Detectable, NR = Not Reported, NT = Not Tested. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.
Notes:

Terpenes

| Analyte | LOQ | Mass | Mass |
|---------|-----|------|------|
| | | | |

Notes:

2952 Meade Ave
Las Vegas, NV
(702) 304-7878
<http://www.canalysislab.com>



Accreditation #101469

Trevor Low
Trevor Low
Lab Director

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866



This product has been tested by Canalysis Laboratories using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Canalysis Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Canalysis Laboratories.